



Disinfection Procedure

Document method code: DP 04 basin

Date: 06/05/2020

Revision: 2


issue no: 2

Review dates: 10-2021

Page 1 of 1



Disinfection of ceramic surfaces

equipment/area to be disinfected:		basin
area:		ablutions, wards
assigned to:		disinfecting team/cleaning personnel
chemical to be used:		vitrodx®-4
dilution (use ratio):		viruses: 50ml per litre [1:20] microbiological: 20ml per litre [1:50]
requirements		procedure
safety: mild irritant eyes: wash with cold running water for 5 minutes prolonged skin contact: wash area with cold running water inhalation: remove to fresh air	ppe: goggles, mask, nitrile gloves	a) Rinse with clean water b) Apply by low-pressure sprayer, disposable cloth or sponge c) Allow 5 - 15 minutes contact time d) Allow drying with natural ventilation
rinse water temperature:	ambient	
cleaning equipment:	low-pressure sprayer, disposable cloth or sponge	
rinising equipment:	clean disposable cloth or sponge	
contact time	viruses: 10 mins microbiological: 5 mins	
drying equipment:	natural ventilation	
frequency: daily (directly proportional to traffic)	every 4-5 hours, or every 7-9 hours if no human contact [e.g. overnight]	
key inspection points:		
1. around tap 2. around drain		
inspected by:	supervisor:	