



# Disinfection Procedure

Document method code: DP 05 door

Date: 06/05/2020

Revision: 2

issue no: 2

Review dates: 10-2021

Page 1 of 1

## Disinfection of metal, wood or plastic doors, frames and handles

<b>equipment/area to be disinfected:</b>		door, frames and handles
<b>area:</b>		general
<b>assigned to:</b>		disinfecting team/cleaning personnel
<b>chemical to be used:</b>		vitrodx®-4
<b>dilution (use ratio):</b>		<b>viruses:</b> 50ml per litre [1:20] <b>microbiological:</b> 20ml per litre [1:50]
requirements		procedure
<p><b>safety: mild irritant</b>  <b>eyes:</b> wash with cold running water for 5 minutes  <b>prolonged skin contact:</b> wash area with cold running water  <b>inhalation:</b> remove to fresh air</p>	<p><b>ppe:</b>  goggles, mask, nitrile gloves</p>	<p>a) apply by low-pressure sprayer  b) allow 30 minutes contact time  c) rinse after minimum 30 minutes with clean water using disposable cloth or sponge  d) allow drying with natural ventilation</p>
<b>rinse water temperature:</b>	ambient	
<b>cleaning equipment:</b>	low-pressure sprayer, disposable cloth or sponge	
<b>rinse equipment:</b>	clean water, disposable cloth or sponge	
<b>drying equipment:</b>	natural ventilation	
<b>frequency: daily</b> (directly proportional to foot traffic in the area)	<b>viruses:</b> hourly for high traffic, daily for low traffic <b>microbiological:</b> every 4-5 hours	
key inspection points:		
1. handles 2. aluminium surfaces		
<b>inspected by:</b>	<b>supervisor:</b>	

